Date:

Tuesday, 2/26/2008 8:02:50 AM

Use:

Kim Johnston

**Process Sheet** 

Customer

: CU-DAR001 Dart Helicopters Services

Job Number **Estimate Number**  : 37645

: 12663

P.O. Number

This Issue

: 2/26/2008

: NC Prsht Rev.

First Issue Previous Run : 11

S.O. No. :

: SMALL /MED FAB Type

: 37207

Written By

Checked & Approved By

Comment

New Issue 07-01-22 : Est Rev : A

**Drawing Name** 

: CABIN FLOOR PROTECTOR

Part Number **Drawing Number**  : D35751 · D3575 REV.A

Project Number

: N/A

**Drawing Revision** 

: A

Material

Description:

Due Date : 3/10/2008 Qty:

2 Um:

Each

**Additional Product** 

Job Number:



Seq. #:

lexan grey

1.0

S125 F600 2904

21.3320 sf(s)

Comment: Qty.:

10.6660 sf(s)/Unit

F60029 lexan sheet

Batch: 103100

Total :

2.0

WATER JET

FLOW WATER JET



Comment: FLOW WATER JET

1-Cut as per Dwg D3575

Dwg Rev:\_\_\_

Prog Rev:\_\_

B 8-3-3

2-Deburr if necessary

3.0

QC2



**%-3-3** B



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

4.0

5.0

QC8

SECOND CHECK

Comment: SECOND

SMALL FAB 1

SMALL & MEDIUM FAB RESOURCE 1

Comment: SMALL & MEDIUM FAB RESOURCE 1

Debur if necessary.

Page

XZ

# **Dart Aerospace Ltd**

W/O:		WORK ORDER CHANGES									
DATE	STEP	PROCEDURE CHANGE	Ву	By Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
							_				
Part No	:	PAR #: Fault Category:		No DQ			38/03/06				

NCR:		WORK ORDER NON-CONFORMANCE (NCR)								
	STEP	Description of NC		Corrective Action Section B	i	Verification Section C	Approval Chief Eng	Approval QC Inspector		
DATE		Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date					
				·						
					i					
					1					
					i			,		
	-	•			:					
			•		1			:		
					i					
								,		
					ı					
		•			1					

NOTE: Date & initial all entries

Tuesday, 2/26/2008 8:02:50 AM Date: • Kim Johnston ઉser: **Process Sheet** Drawing Name: CABIN FLOOR PROTECTOR Customer: CU-DAR001 Dart Helicopters Services Part Number: D35751 Job Number: 37645 Job Number: Description: Seq. #: Machine Or Operation: INSPECT WORK TO CURRENT STEP 6.0 QC5 Comment: INSPECT WORK TO CURRENT STEP PACKAGING RESOURCE #1 37628 Comment: PACKAGING RESOURCE #1 Identify with P/N and B/N using a permanent fine point marker, then Stock Location: 8.0 Comment: FINAL INSPECTION/W/O RELEASE 2008/3/06 Job Completion

Dart Ae	rospace	e Ltd							
W/O:			W	ORK ORDER CHANGES					•
DATE	STEP	PROCEDURE CHANGE		ANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
•									
Part No	:	PAR #:	Fault Cate	egory: No	CR: Yes	No DQ	A:	Date:	
					QA: N	/C Close	d:	_ Date: _	· ·
NCR:			NORK ORD	ER NON-CONFORMANC	E (NCR	2)			
DATE	OTED	Description of NC		Corrective Action Section B		Verific	cation	Approval	Approval
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Secti		Chief Eng	QC Inspector
•									
				1					!
	1	l .	į l		ı	I .			I

NOTE: Date & initial all entries




DESIGN	DRAWN BY	DART AEROSPACE HAWKESBURY, ONTARIO, CA	
CHECKED	APPROVED IIL	DRAWING NO.	REV. A
LE		D3575	SHEET 1 OF 4
DATE		TITLE	SCALE
07.06.08		CABIN FLOOR PROTECTOR	1:8

UNCONTROLLED CORY

SUBJECT TO AMENDICENT

WITHOLT NOTICE



D3575-1 CABIN FLOOR PROTECTOR (SHOWN) D3575-2 CABIN FLOOR PROTECTOR (OPPOSITE)


NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK, WORK OF TEXTURED SIDE UP (REF DART SPEC MIEYS 125 F60020 04) NO. 2 TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-1/-2" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8966


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.





WITHOUT TO THE



### D3575-3 CABIN FLOOR PROTECTOR


NOTES:


- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 THICK,
  TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-3" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8967

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.







### D3575-4 CABIN FLOOR PROTECTOR

SHOP COPY RETURN TO ENGINEERING

1.

NOTES:

1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125 JHICKT TO AMENDATE TO THE COLUMN TO THE C WITHOUT NOTICE TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)

2) FINISH: NONE

3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

4) IDENTIFY WITH DART P/N "D3575-4" USING FINE POINT PERMANENT INK MARKER ON SMOOTH SIDE OF PART

- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX


7) CHECK PER TEMPLATE DT8968


Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

UNCONTROLLED CC







## D3575-5 CABIN FLOOR PROTECTOR (SHOWN) D3575-6 CABIN FLOOR PROTECTOR (OPPOSITE)

SHOP COPY RETURN TO ENGINEERING

#### NOTES:

- 1) MATERIAL: F60029 GREY LEXAN SHEET (HEAVY HAIRCELL TEXTURE), 0.125UTHICK, TROLLED COPY
  TEXTURED SIDE HIS OPER DARK COES WILLIAM TEXTURES. SUBJECT TO AMENDMENT TEXTURED SIDE UP (REF DART SPEC MLEXS.125-F60029-04)
- 2) FINISH: NONE
- 3) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) IDENTIFY WITH DART P/N "D3575-5/-6" USING FINE POINT PERMANENT INK WARKER ON SMOOTH SIDE OF PART
- 5) ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED
- 6) BREAK ALL SHARP EDGES 0.005 TO 0.010 MAX
- 7) CHECK PER TEMPLATE DT8969

Copyright © 2007 by DART AEROSPACE LTD

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.

DART AEROSPACE LTD	Work Order:	37645
Description: CABIN FLOOR PROTECTOR	Part Number:	3575-1
Inspection Dwg: D3\$75-1 Rev: A		Page 1 of 1

# FIRST ARTICLE INSPECTION CHECKLIST

<del></del> ;		1	•
X	First Article		Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
\$ 3,66	100 200, +	3,00	X			
1, 25	4- ,030	1.95	*			
3,38	4/030	3,39	¥			
5.00	4630	5.00	¥			
6.50	t/620		X	-		
26.13	+/030		<b>X</b>			
31.50	1/2 .030	31.50	*			
	4- 030		*			
3.50	4030	3.50	¥			
·	4630	26.41				
	4030	· · · · · · · · · · · · · · · · · · ·	*			
7438	4630	29,38	*			
30,13	t- 620		×			
1.00	+/- ·020	1.00	*			
	4- ,020		¥		·	
16.00	1030		<b>€</b>			
	4030	23.8	*			
	4- 030		*			
7769	4030	27.69	¥	1		-
4.25	030	4.35 4		·		
9.63	4.030		*			
16.13 +	1630	16.13 3				
78.86	630	28.06				
	4.030	39,153			<del></del>	

Measured by: 18 Audited by: 2 Prototype Approval: 1/2

Date: 9-3-3 Date: 08/03/04 Date: //

Rev	Date	Change	 Revised by	Approved
A		New Issue	KJ/JLM	